

























Position	Beschreibung	Festigkeit	Sägelänge (mm)	Anzahl	Steg		Flansch			
					(Grad)	(Grad)	(Grad)	(Grad)		
1000	L125X75X8	S355JR	60	22	0		0	0		0
1001	IPE120	S355JR	2,974	4	0		0	0		0
1002	29/850 0.50	S355JR	5,864	3	0		0	0		0
1003	HEB160	S355JR	2,389	2	0		10	0		0
1004	IPE120	S235JR	3,113	2	0		-10	0		0
1005	RD12	S355JR	3,169	2	0		0	0		0
1006	RD12	S355JR	250	2	0		0	0		0
1007	29/850 0.50	S355JR	5,864	1	0		0	0		0

Position	Beschreibung	Festigkeit	Sägelänge (mm)	Anzahl	Steg (Grad)	(Grad)	(Grad)	Flansch (Grad)	(Grad)			
1008	HEA160	S355JR	5,617	1	-10		H	0	0		H	0
1009	HEA160	S355JR	5,617	1	-10		H	0	0		H	0
1010	IPE120	S355JR	2,974	1	0		H	0	0		H	0
1011	IPE120	S355JR	2,974	1	0		H	0	0		H	0
1012	IPE120	S355JR	2,974	1	0		H	0	0		H	0

---

43

---

43